

NET P/No.	ATDEC P/No.	DESCRIPTION	IMAGE
CH100000	SD-SA-DK-P	Spacedec, Monitor bracket, Swing arm, Desk mount, Polished, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force, With desk clamp & bolt through options	
CH100001	SD-SA-DK-B	Spacedec, Monitor bracket, Swing arm, Desk mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force, With desk clamp & bolt through options	
CH100002	SD-SA-DK-S	Spacedec, Monitor bracket, Swing arm, Desk mount, Silver, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force, With desk clamp & bolt through options	
CH100003	SD-AT-DW-S	Spacedec, Monitor bracket, Articulated arm, Wall mount, Silver, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force	
CH100004	SD-AT-DW-BK	Spacedec, Monitor bracket, Articulated arm, Wall mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force	
CH100005	SD-AT-DK-P	Spacedec, Monitor bracket, Articulated arm, Desk mount, Polished, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force, With desk clamp & bolt through options	
CH100006	SD-AT-DK-S	Spacedec, Monitor bracket, Articulated arm, Desk mount, Silver, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force, With desk clamp & bolt through options	
CH100007	SD-AT-DK-B	Spacedec, Monitor bracket, Articulated arm, Desk mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 9kg holding force, With desk clamp & bolt through options	
CH100008	SD-NBT-DK-P	Spacedec, Notebook bracket, Swing arm, Desk mount, Polished, Suits notebook computers up to 17" (43cm) wide screen, 4.5kg holding force, With desk clamp & bolt through options	
CH100009	SD-NBT-DK-BK	Spacedec, Notebook bracket, Swing arm, Desk mount, Black, Suits notebook computers up to 17" (43cm) wide screen, 4.5kg holding force, With desk clamp & bolt through options	
CH100010	SD-NBT-DK-S	Spacedec, Notebook bracket, Swing arm, Desk mount, Silver, Suits notebook computers up to 17" (43cm) wide screen, 4.5kg holding force, With desk clamp & bolt through options	
CH100011	SD-SA-DK-DB-P	Spacedec, Monitor bracket, Double swing arm, Desk mount, Polished, Supports 2x LCD from 12" (30cm) - 24" (61cm), 9kg holding force per LCD, With desk clamp & bolt through options	
CH100012	SD-SA-DK-DB-BK	Spacedec, Monitor bracket, Double swing arm, Desk mount, Black, Supports 2x LCD from 12" (30cm) - 24" (61cm), 9kg holding force per LCD, With desk clamp & bolt through options	
CH100013	SD-SA-DK-DB-S	Spacedec, Monitor bracket, Double swing arm, Desk mount, Silver, Supports 2x LCD from 12" (30cm) - 24" (61cm), 9kg holding force per LCD, With desk clamp & bolt through options	

NET P/No.	ATDEC P/No.	DESCRIPTION	IMAGE
CH100019	SD-AH-P	Spacedec, Accessory holder, Swing arm, Polished, 300 x 170mm tray size, 468mm max reach, 5kg holding force, To be used in conjunction with Acrobat swing/articulated arm	
CH100020	SD-CMS-NP	Spacedec, Monitor bracket, Ceiling mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force, For use with CH100021/CH100022/CH100023/CH100024/CH100025 extension poles	
CH100021	S-BK-CE-400M	Spacedec, Extension pole, Ceiling mount, Black, 400mm length, Requires CH100020 monitor bracket	
CH100022	S-BK-CE-750M	Spacedec, Extension pole, Ceiling mount, Black, 750mm length, Requires CH100020 monitor bracket	
CH100023	S-BK-CE-1100M	Spacedec, Extension pole, Ceiling mount, Black, 1100mm length, Requires CH100020 monitor bracket	
CH100024	S-BK-CE-1450M	Spacedec, Extension pole, Ceiling mount, Black, 1450mm length, Requires CH100020 monitor bracket	
CH100025	S-BK-CE1800M	Spacedec, Extension pole, Ceiling mount, Black, 1800mm length, Requires CH100020 monitor bracket	
CH100030	SD-WD	Spacedec, Monitor bracket, Direct wall mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force, 95mm distance from rear of LCD to wall	
CH100035	SD-POS-VBM	Spacedec, Monitor bracket, Display POS Multi, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force, 40 Degree angular adjustment	
CH100036	SD-POS-M-BB	Spacedec, Monitor bracket, Display POS Multi, Back to back kit, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force, 40 Degree angular adjustment	
CH100040	SD-DP-SI-AN	Spacedec, Monitor bracket, Single donut pole, Desk mount, Silver, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force, With desk clamp & bolt through options	
CH100041	SD-DP-SI-BK	Spacedec, Monitor bracket, Single donut pole, Desk mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force, With desk clamp & bolt through options	
CH100042	SD-DP-DB-AN	Spacedec, Monitor bracket, Double donut pole, Desk mount, Silver, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force per LCD, With desk clamp & bolt through options	
CH100043	SD-DP-DB-BK	Spacedec, Monitor bracket, Double donut pole, Desk mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force per LCD, With desk clamp & bolt through options	
CH100044	SD-DP-TR-BK	Spacedec, Monitor bracket, Triple donut pole, Desk mount, Black, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force per LCD, With desk clamp & bolt through options	
CH100045	SD-DP-TR-AN	Spacedec, Monitor bracket, Triple donut pole, Desk mount, Silver, Suits LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force per LCD, With desk clamp & bolt through options	

NET P/No.	ATDEC P/No.	DESCRIPTION	IMAGE
CH100100	VF-AT	Visidec, Monitor bracket, Articulated arm, Desk mount, Polished, Suits LCD from 12" (30cm) - 24" (61cm), 8kg holding force, With desk clamp & bolt through options	
CH100101	VF-AT-W	Visidec, Monitor bracket, Articulated arm, Wall mount, Polished, Suits LCD from 12" (30cm) - 24" (61cm), 8kg holding force	
CH100102	VF-WD	Visidec, Monitor bracket, Direct wall mount, Polished, Suits LCD from 12" (30cm) - 24" (61cm), 8kg holding force, 94mm distance from rear of LCD to wall	
CH100103	V-FS-DB	Visidec, Monitor bracket, Double horizontal display, Freestanding, Polished, Supports 2x LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force per LCD	
CH100104	VF-AT-D	Visidec, Monitor bracket, Double articulated arm, Desk mount, Polished, Suits 2x LCD from 12" (30cm) - 24" (61cm), 8kg holding force per LCD, With desk clamp & bolt through options	
CH100105	VF-M	ATDEC, Visidec, Monitor bracket, Micro adjustable bracket, Desk mount, Polished, Suits LCD from 12" (30cm) - 24" (61cm), 8kg holding force, With desk clamp & bolt through options	
CH100106	V-FS-DV	ATDEC, Visidec, Monitor bracket, Double vertical display, Freestanding, Polished, Supports 2x LCD from 12" (30cm) - 24" (61cm), 12kg holding force per LCD	
CH100107	V-FS-Q	Visidec, Monitor bracket, Quad 2x2 display, Freestanding, Polished, Supports 4x LCD from 12" (30cm) - 24" (61cm), 11.5kg holding force per LCD	
CH100109	AC-AP-2010	Visidec, Monitor bracket adaptor plate, 200 x 100mm, Converts 75 x 75mm Vesa mounting pattern to a 200 x 100mm mounting pattern	
CH100110	V-14T	Visidec, Notebook traveller bracket, Freestanding, Silver, Supports Notebooks up to 14" (36cm), 3kg holding force	
CH100111	V-17T	Visidec, Notebook traveller bracket, Freestanding, Silver, Supports Notebooks up to 17" (43cm), 4kg holding force	
CH100112	VF-AT-NK	ATDEC, Visidec, Focus, Notebook tray accessory, Polished, Supports Notebooks up to 18" (45cm), 8kg holding force, 25 deg angle, Ventilated	
CH100200	TH-12-24-WM	Telehook, Monitor bracket, Fixed wall mount, Grey, Suits LCD from 12" (30cm) - 24" (61cm), 11kg holding force, 21mm distance from rear of LCD to wall	
CH100201	TH-2250-VF	Telehook, Monitor bracket, Fixed wall mount, Silver, Suits LCD from 20" (50cm) - 47" (119cm), 50kg holding force, 17mm distance from rear of LCD to wall	
CH100202	TH-1030-VFM	Telehook, Monitor bracket, Wall mount, articulated & swing arm, Silver, Suits LCD from 12" (30cm) - 30" (76cm), 20kg holding force	
CH100203	TH-2050-VFM	Telehook, Monitor bracket, Articulated arm, Wall mount, Silver, Suits LCD from 26" (66cm) - 47" (119cm), 30kg holding force, 540mm reach, VESA mount options	

NET P/No.	ATDEC P/No.	DESCRIPTION	IMAGE
CH100204	TH-3070-CTW	Telehook, Monitor bracket, Ceiling mount, White and Black, Suits LCD/Plasma from 31" (78cm) - 65" (165cm), 91kg holding force	
CH100205	TH-3060-SAU	Telehook, Monitor bracket, Swing arm, Tilt, Wall mount, Silver, Suits LCD/Plasma from 32" (81cm) - 63" (152cm), 65kg holding force, Adjustable tilt -5 to 25 deg	
CH100206	TH-1040-VFM	Telehook, Monitor bracket, Wall mount, articulated & swing arm, Silver, Suits LCD with VESA 100x100, 100x200, 200x200, 25kg holding force	
CH100207	TH-30-50-RW	Telehook, Monitor bracket, Rotating wall mount, Silver, Suits LCD from 30" (76cm) - 50" (127cm), 85kg holding force, 95mm distance from rear of LCD to wall	
CH100208	TH-30-70-UF	Telehook, Monitor bracket, Fixed Wall mount, Black, Suits LCD from 32" (81cm) - 65" (165cm), 91kg holding force, 60mm distance from rear of LCD to wall	
CH100209	TH-30-70-UT	Telehook, Monitor bracket, Tilt Wall mount, Black, Suits LCD from 32" (81cm) - 65" (165cm), 91kg holding force, 76mm distance from rear of LCD to wall	
CH100210	TH-WH-PJ-FM	Telehook, Projector mount, Semi flush ceiling mount, Silver, Suits 90% of projectors, 360deg rotation, Quick release, 15kg holding force, 127mm distance from ceiling to projector	
CH100211	TH-WH-PJ-CM	Telehook, Projector mount, Pendant ceiling mount, Silver, Suits 90% of projectors, 360deg rotation, Quick release, 15kg holding force, Min 127mm/Max 900mm distance from ceiling to projector	
CH100212	TH-AN-CM	Telehook, Cable manager, Silver, Houses up to 10x power/AV cables, Supports up to 4x adjustable shelves (CH100213)	
CH100213	TH-CM-SH-2	Telehook, Cable manager shelves, Silver, Used in conjunction with cable manager (CH100212), Supports AV equipment up to 12kg, Support area 325 x 348mm, 2 per pack	
CH100214	TH-37-63-AWM	Telehook, Monitor bracket, Articulated arm, Wall mount, Silver, Suits LCD from 37" (94cm) - 63" (160cm), 91kg holding force	
CH100215	TH-2050-UT	Telehook, Monitor bracket, Tilt Wall mount, Black, Suits LCD from 20" (50cm) - 47" (119cm), 70kg holding force, 48.5mm distance from rear of LCD to wall	
CH100216	TH-3270-UFM	Telehook, Monitor bracket, Tilt, Swing arm, Wall mount, Silver, Suits LCD 12" (30cm) - 65" (165cm), 65kg holding force, Reach up to 635mm	